Organic Farmers, Producers & Processors Association of Odiongan (ORFPPASO

Organic Trading Post (OTP) Bgry. Dapawan, Odiongan Romblon orfppaso@gmail.com

PRDP-IR-R04B-R0M-003-0DI-001-2019

REQUEST FOR QUOTATION

Shopping for Goods

The Government of the Republic of the Philippines has received a loan from the World Bank towards the cost of the Philippine Rural Development Project (PRDP) and it intends to apply part of the proceeds of this loan to pay for the cost of:

Supply and Delivery of Package 2: Processing Equipment for the Odiongan Coco Sugar Processing

INSTRUCTIONS:

- 1. Bidders are required to read the instructions and fill in all the blanks properly.
- 2. Prospective Bidders/Suppliers may submit their own canvass form in accomplishing their bid proposals/quotations subject to the condition that the official bid form shall be filled up (with the offered brand, the specifications required, unit price, and total price), signed properly and attached together with the Bidder's/Supplier's own canvass form. (*Please write legibly*).
- 3. Any specification other than those required/stated in this form shall not be considered in the evaluation of bids.
- 4. Quotation/s must include all kinds of taxes for the item(s)/services listed hereunder, including delivery charges. Failure to include all relevant taxes shall be a basis for the bidder's disqualification.
- 5. Indicate the complete specifications and brand name/model of the offered item(s) or product(s).
- 6. Price quotation/s submitted shall be valid for **THIRTY (30)** days from the deadline of submission of quotations.
- 7. Terms of Payment within Thirty (30) days from the delivery of item/s.
- 8. Bids shall be submitted through any of the following:
 - a. Through sealed envelope (hand carry to the PG official address)
 - b. Through mail (courier) (delivered to the PG official address)
 - c. Through email (received at the PG official email address)

Name of PG-PT

Chairman : Mr. John Manuel Sermo

Organic Trading Post (OTP) Bgry. Dapawan,

Official Address of PG : Odiongan Romblon

Telephone number : **0909-020-6192**

Email address : **orfppaso@gmail.com**

- 9. All entries must be typewritten or hand-written legibly. Bid Forms shall be submitted together with following documents:
 - a) Valid business permit and
 - b) BIR registration;

Note for Off the shelf Goods:

- a) The bidder/supplier must be an authorized dealer, distributor or manufacturer of the goods to be procured and the brand of the product offered must be in the Philippine market for at least 5 years prior to the bid opening; and
- b) The bidder must have after-sales service facilities in major cities in the region.
- 10. Awarding shall be made on: [___] item [__] per lot $[\sqrt{\ }]$ per package. The award shall be made to the lowest *evaluated* quotation that complies with the minimum technical specifications and other terms and conditions stated herein.
- 11. Deadline for the submission of bids June 01, 2022 @ 10:00AM.
- 12. Validity of stocks: **ninety (90)** days.
- 13. Delivery period: **sixty (60)** days upon receipt of approved Purchase/Work Order.

: Supply and Delivery of Package 2: Processing Equipment for Odiongan Coco Sugar Processing Contract

Delivery Period : July - August 2022

: Organic Trading Post (OTP), Brgy. Malilico, Odiongan, Romblon Place

Qty	Unit	Item/Description	Unit cost	Total Price
3	Pcs	Cooking Wok Specification: - 90 Liter Wok - 100cm Diameter - For granulation of coco sap	7,200.00	21,600.00
4	Pcs	Stainless Stocking Pot (150 Liters) Specification: - 150 Liters - 1.3mm Thick - 60cm x 55cm (Diameter x Height) - For Boiling of Coco Sap	7,900.00	31,600.00
2	Pcs	Refractometer Specification: Three measurement Ranges: 0-41%, 42-71%, 72-90% Hand-held Manual To measure sugar and alcohol content of the coco cap	1,400.00	2,800.00
2	Pcs	Wall-mount Pot Wash Sink Specification: - 1.2mm thick - Stainless Steel Sheet - T304 Sink (500 x 400 x 300mm) L x W x H - For washing all cooking tools and equipment	11,100.00	22,200.00
1	Unit	Cabinet-type Drawer Specification:	318,300.00	318,300.00

	1			
		- 2000mm x 300mm x 700mm (L		
		x W x H)		
		- 1.0mm Thick, Stainless Steel		
		Outer Panel		
		- G.I Sheet galvanized 16 inner		
		panel		
		- 1.2mm Thick, Stainless Steel		
		Sheet Tray Holder		
		- 0.9mm Thick, Stainless Tray		
		(20pcs), 18 x 13 inches (1.5 Kg		
		Capacity) - Gas-fired with Thermostat		
		control		
		- With wheels		
		- For further drying of coco sugar		
		to achieve moisture content less		
		than 3%		
		Center Prep Table with Mid and		
		Bottom		
		Specification:		
2	Units	- 2000mm x 1000mm x 864mm	34,100.00	68,200.00
		(L x W x H)		
		- 2 Layer Overhead Shelves,		
		2000mm x 300mm x 700mm		
		- Used in cooling coco sugar in		
		stainless basin		
		Single Burner (2 Tubes) (Cooking)		
		Specification:		
3	Units	Specification.	5,000.00	15,200.00
	Oiits	- Cast iron burner	5,000.00	10,200.00
		- Two tubes		
		- For Cooking		
		Gas Tank with Regulator		
		Specification:		
4	Units		9,400.00	37,600.00
4	UIIILS	- 22Kg LPG Cylinder	9,400.00	37,000.00
		- Excess Flow Limiter		
		- 1.3kg/hr		
		- For Cooking		
		Mechanical Siever		
		Chagification		
1	Pc	Specification:	243,100.00	243,100.00
		- Ef diameter Screen: 1,000mm		
		- Eff area screen: 0.9499mm		
		- EII ai ea SCI eeii: U.7477IIIIII		

		 Screen size: 100 – 635 mesh Layers: 1-4 Layers Power vibration motor: 1.5kw Stainless Steel For refined sieving 		
		Weighing Scale (60kg)		
2	Pcs	Specification: - 30kg capacity scale - Digital / Electronic - For scaling of coco sugar before packaging	11,100.00	22,200.00
		Stainless 4-Tier Dish Rack		
1	Pc	Specification: - 1600 x 500 x 1528mm (L x W x H) - For storage of tools and equipment	27,600.00	27,600.00
		Stainless Corner side Prep Table		
1	Pc	with Sink Specification: - 1600 x 600 x 864mm (L x W x H) - 100 BS - As working table - For washing cooking tools and equipment	16,600.00	16,600.00
		Vacuum Packer		
1	Pc	- Capable of large and small packages (using space filler to adjust) - Machine dimensions: 28 5/8 x 27 ½ x 43 ¼ "(730 x 700 x 1100mm) L x W x H - Chamber dimensions: 20 ¾ x 19 5/8 x 7 ¾ (520 x 500 x 200mm) L x W x H - Seal bar length: (2) x 20 3/8 (2,230mm) - Weight 403lbs (183kg) - Vacuum pump Capacity: 44.14 CFM (75m3/h)	66,100.00	66,100.00

	 Machine cycle: 15-40 sec Standard Power Requirement: 220 / 240 v-3 phase, 60 HZ 2.4 – 3.5 Kw For packaging of coco sugar on each plastic packaging to 		
	lengthen shelf life		
	Coding Machine		
Рс	Specification: - Size: 55-500mm x 30-300mm (L x W) - Speed: <300pc/minute - Ink Roller Size: 35 x 33mm - Printing max: 51 links, 10 letter/line - Dimensions: 400 x 345 x 250mm (L x W x H)	15,200.00	15,200.00
	Pot Wash Sink		
Рс	Specification: - Dimensions: 400 x 345 x 250mm (L x W x H) - Weight: 23kg - For washing of equipment and Tools	18,200.00	18,200.00
	Trolley		
Pc	 Specification: Hand-truck trolley folding push cart 300 kg capacity 4 nylon wheels Top handle bow folds easy storage For faster transportation of goods 	13,000.00	13,000.00
	Moisture Meter		
Unit	 Specification: Scale type Minimum operating temperature: +5C Maximum operating 	104,600.00	104,600.00
	Pc	- Standard Power Requirement: 220 / 240 v-3 phase, 60 HZ 2.4 - 3.5 KW - For packaging of coco sugar on each plastic packaging to lengthen shelf life Coding Machine Specification: - Size: 55-500mm x 30-300mm (L x W) - Speed: <300pc/minute - Ink Roller Size: 35 x 33mm - Printing max: 51 links, 10 letter/line - Dimensions: 400 x 345 x 250mm (L x W x H) Pot Wash Sink Specification: Pc - Dimensions: 400 x 345 x 250mm (L x W x H) - Weight: 23kg - For washing of equipment and Tools Trolley Specification: - Hand-truck trolley folding push cart - 300 kg capacity - 4 nylon wheels - Top handle bow folds easy storage - For faster transportation of goods Moisture Meter Specification: Unit - Scale type - Minimum operating temperature: +5C	- Standard Power Requirement: 220 / 240 v-3 phase, 60 HZ 2.4 - 3.5 Kw - For packaging of coco sugar on each plastic packaging to lengthen shelf life Coding Machine Specification: - Size: 55-500mm x 30-300mm (L x W) - Speed: <300pc/minute - Ink Roller Size: 35 x 33mm - Printing max: 51 links, 10 letter/line - Dimensions: 400 x 345 x 250mm (L x W x H) Pot Wash Sink Specification: Pc - Dimensions: 400 x 345 x 250mm (L x W x H) - Weight: 23kg - For washing of equipment and Tools Trolley Specification: - Hand-truck trolley folding push cart - 300 kg capacity - 4 nylon wheels - Top handle bow folds easy storage - For faster transportation of goods Moisture Meter Specification: Unit - Scale type - Minimum operating temperature: +5C - Maximum operating

		- For measuring the moisture		
25	Pcs	Stainless Basin Specification: - Stainless Steel - 1.0mm thick, 12 inches diameter	900.00	22,500.00
36	Pcs	Plastic Container (20 Liters) Specification: - 20 Liter plastic container - For hauling of coco sap	900.00	32,400.00
7	Pcs	Stainless Ladle / Stirrer Specification: - 30 inches ladle - 9-inch diameter	500.00	3,500.00
7	Pcs	Stainless Strainer Specification: - Fine mesh - Commercial grade	600.00	4,200.00
2	Pcs	Plastic Drum (Food Grade) Specification: - Black colored - 80 Liters capacity with cover - For storage of boiled coco syrup	4,200.00	8,400.00
TOT	AL			Php1,114,900.00

JOHN MANUEL SERMO

Chairman

PG Procurement Team

Organic Famers, Producers & Processors Association of Odiongan (ORFPPASO)

BID FORM

Contract Name: Supply and Delivery of Package 2: Processing Equipment for the Odiongan Coco Sugar Processing
Solicitation No. PRDP-IR-R04B-ROM-003-ODI-001-2019

THE BIDS	AND AWARD	S COMMITT	EE (BAC)

SIR/MADAM:

I/We submit our quotation and compliance to the required specifications indicated below for the contract stated above. I/We have carefully read and fully understood the minimum requirements and agree to furnish and/or deliver in conformity with the specifications and or all said articles described within **sixty (60)** working days from receipt of Purchase/Work Order.

Qty	Unit	Item/Description	Offered brand	Unit cost	Total Price
3	Pcs	Cooking Wok Specification: - 90 Liter Wok - 100cm Diameter - For granulation of coco sap			
4	Pcs	Stainless Stocking Pot (150 Liters) Specification: - 150 Liters - 1.3mm Thick - 60cm x 55cm (Diameter x Height) - For Boiling of Coco Sap			
2	Pcs	Refractometer Specification: - Three measurement Ranges: 0-41%, 42-71%, 72-90% - Hand-held - Manual - To measure sugar and alcohol content of the coco			
2	Pcs	Wall-mount Pot Wash Sink Specification:			

		,	
		- 1.2mm thick	
		- Stainless Steel Sheet	
		- T304 Sink (500 x 400 x	
		300mm) L x W x H	
		- For washing all cooking	
		tools and equipment	
		Cabinet-type Drawer	
		Specification:	
		- 2000mm x 300mm x	
		700mm (L x W x H)	
		- 1.0mm Thick, Stainless	
		Steel Outer Panel	
		- G.I Sheet galvanized 16	
		inner panel	
1	11	- 1.2mm Thick, Stainless	
1	Unit	Steel Sheet Tray Holder	
		- 0.9mm Thick, Stainless	
		Tray (20pcs), 18 x 13	
		inches (1.5 Kg Capacity)	
		- Gas-fired with Thermostat	
		control	
		- With wheels	
		For further drying of coco sugar	
		to achieve moisture content less	
		than 3%	
		Center Prep Table with Mid and	
		Bottom	
		Specification:	
		- 2000mm x 1000mm x	
2	Units	864mm (L x W x H)	
	Ullits	- 2 Layer Overhead Shelves,	
		2000mm x 300mm x	
		700mm	
		Used in cooling coco sugar in	
		stainless basin	
		Single Burner (2 Tubes)	
		(Cooking)	
	11	Specification:	
3	Units	- Cast iron burner	
		- Two tubes	
		For Cooking	
		Gas Tank with Regulator	
		Specification:	
		- 22Kg LPG Cylinder	
4	Units	- Excess Flow Limiter	
		- 1.3kg/hr	
		For Cooking	
	 	Mechanical Siever	
1	Pc	Specification:	
	<u> </u>	specification.	

	1		1	
		- Ef diameter Screen:		
		1,000mm		
		- Eff area screen: 0.9499mm		
		- Screen size: 100 - 635		
		mesh		
		- Layers: 1-4 Layers		
		- Power vibration motor:		
		1.5kw		
		- Stainless Steel		
		- For refined sieving		
		Weighing Scale (60kg)		
		Specification:		
2	Pcs	- 30kg capacity scale		
		- Digital / Electronic		
		- For scaling of coco sugar		
		before packaging		
		Stainless 4-Tier Dish Rack		
		Specification:		
1	Pc	- 1600 x 500 x 1528mm (L x		
1	PC	W x H)		
		 For storage of tools and 		
		equipment		
		Stainless Corner side Prep		
		Table with Sink		
		Specification:		
		- 1600 x 600 x 864mm (L x		
1	Pc	W x H)		
_	10	- 100 BS		
		- As working table		
		- For washing cooking tools		
		and equipment Vacuum Packer		
		Specification:		
		- Capable of large and small		
		packages (using space		
		filler to adjust)		
		- Machine dimensions: 28		
		5/8 x 27 ½ x 43 ¼ "(730 x		
		700 x 1100mm) L x W x H		
1	Pc	- Chamber dimensions: 20		
		³ / ₄ x 19 5/8 x 7 ³ / ₄ (520 x		
		500 x 200mm) L x W x H		
		- Seal bar length: (2) x 20		
		3/8 (2,230mm)		
		- Weight 403lbs (183kg)		
		- Vacuum pump Capacity:		
		44.14 CFM (75m3/h)		
		- Machine cycle: 15-40 sec		
	<u> </u>	Machine Cycle, 13 40 3CC		

	1	T -	T T	
		- Standard Power		
		Requirement: 220 / 240 v-		
		3 phase, 60 HZ 2.4 – 3.5 Kw		
		 For packaging of coco 		
		sugar on each plastic		
		packaging to lengthen shelf		
		life		
		Coding Machine		
		Specification:		
		- Size: 55-500mm x 30-		
		300mm (L x W)		
1	D .	- Speed: <300pc/minute		
1	Pc	- Ink Roller Size: 35 x 33mm		
		- Printing max: 51 links, 10		
		letter/line		
		- Dimensions: 400 x 345 x		
		250mm (L x W x H)		
		Pot Wash Sink		
		Specification:		
		- Dimensions: 400 x 345 x		
1	Pc	250mm (L x W x H)		
		- Weight: 23kg		
		- For washing of equipment		
		and Tools		
		Trolley		
		Specification:		
		- Hand-truck trolley folding		
		push cart		
4	ъ	- 300 kg capacity		
1	Pc	- 4 nylon wheels		
_				
		- Top handle bow folds easy		
		- Top handle bow folds easy storage		
		storage		
		storage - For faster transportation		
		storage - For faster transportation of goods Moisture Meter		
		storage - For faster transportation of goods Moisture Meter Specification:		
		storage - For faster transportation of goods Moisture Meter Specification: - Scale type		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating temperature: +40C		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating temperature: +40C - For measuring the		
1	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating temperature: +40C - For measuring the moisture Stainless Basin		
1 25	Unit	storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating temperature: +40C - For measuring the moisture		
		storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating temperature: +40C - For measuring the moisture Stainless Basin Specification: - Stainless Steel		
		storage - For faster transportation of goods Moisture Meter Specification: - Scale type - Minimum operating temperature: +5C - Maximum operating temperature: +40C - For measuring the moisture Stainless Basin Specification:		

36	Pcs	Plastic Container (20 Liters) Specification: - 20 Liter plastic container - For hauling of coco sap		
7	Pcs	Stainless Ladle / Stirrer Specification: - 30 inches ladle - 9-inch diameter		
7	Pcs	Stainless Strainer Specification: - Fine mesh - Commercial grade		
2	Pcs	Plastic Drum (Food Grade) Specification: - Black colored - 80 Liters capacity with cover - For storage of boiled coco syrup		
тота	\L		'	

We also submit a copy of the following documents as required:

- a) Valid business permit; and
- b) BIR registration.

This bid and your written acceptance will constitute your assent in compliance with the requirement. We understand that the PG will award based on the Lowest Calculated and Responsive Bid/Quotation.

Signature Over Printed name of Authorized representative	Registered Name of the Company	Tax Identification Number
Telephone number(s)	Address	Date Accomplished