# Farm Operators of Marinduque Multi-Purpose Cooperative (FOMMCO) Building No. 6, Public Market, Barangay Manlibunan Marinduque PRDP-IR-R04B-MAR-006-000-2021

#### REQUEST FOR QUOTATION

Simplified Bidding & Shopping for Goods

The Government of the Republic of the Philippines has received a loan from the World Bank towards the cost of the Philippine Rural Development Project (PRDP) and it intends to apply part of the proceeds of this loan to pay for the cost of:

## Package 4: Supply & Delivery of Processing Equipment/ Machines/ Tools for Marinduque Swine Meat Processing

#### INSTRUCTIONS:

- 1. Bidders are required to read the instructions and fill in all the blanks properly.
- 2. Prospective Bidders/Suppliers may submit their own canvass form in accomplishing their bid proposals/quotations subject to the condition that the official bid form shall be filled up (with the offered brand, the specifications required, unit price, and total price), signed properly and attached together with the Bidder's/Supplier's own canvass form. (Please write legibly).
- 3. Any specification other than those required/stated in this form shall not be considered in the evaluation of bids.
- Quotation/s must include all kinds of taxes for the item(s)/services listed hereunder, including delivery charges. Failure to include all relevant taxes shall be a basis for the bidder's disqualification.
- 5. Indicate the complete specifications and brand name/model of the offered item(s) or product(s).
- 6. Price quotation/s submitted shall be valid for Sixty (60) days from the deadline of submission of quotations.
- 7. Terms of Payment within Thirty (30) days from the delivery of item/s. (This may be revised based on the requirement).
- 8. The Bidder may submit its bid through any of the following:
  - a) sealed envelope through hand-carry (Building No. 6, Public Market, Barangay Manlibunan Marinduque);
  - b) by mail (Building No. 6, Public Market, Barangay Manlibunan Marinduque);
  - c) email (received at the PG official email address

Name of PG-PT

Chairman

Official Address:

REYNALDO R. REAL

Farm Operators of Marinduque Multi Purpose Cooperative (FOMMCO)

Building No. 6, Public Market, Barangay

Manlibunan Marinduque

Telephone number: : 09124684628

Email address : fommco01@gmail.com

- 9. All entries must be typewritten or hand-written legibly, Bid forms shall be submitted together with the following documents.
  a) Valid business permit and
  b) BIR Registration:
  - Note:
  - a) The bidder/supplier must be an authorized dealer, distributor or manufacturer of the goods to be procured and the brand of the product offered must be in the Philippine market for at least 10 years prior to the bid opening; and
  - b) The bidder must have after-sales service facilities in major cities in the Philippines
  - 10. Awarding shall be made on: [\_\_\_] item [\_\_\_] per lot  $[\sqrt{\ }]$  per package. The award shall be made to the lowest *evaluated* quotation that complies with the minimum technical specifications and other terms and conditions stated herein
  - 11. Deadline for the submission of bids April 18, 2024 @ 10:00AM.
  - 12. Validity of stocks: Sixty (60) days.
  - 13. Delivery period: Sixty (60) days upon receipt of approved Purchase/Work Order.

Contract:

Package 4 :Supply & Delivery of Processing Equipment/Machines/Tools for Marinduque Swine Meat Processing

Delivery Period: May - June 2024

Place:

Barangay Angas, Santa Cruz Marinduque

Qty	Unit	Item/Description	Unit cost	Total Price
2	unit	Freezer: Chest type, Aluminum Cabinet Interior Liner, Inverter SLIDING GLASS Door 10.6 CU.FT. / 304 LITERS DIMENSIONS (in mm) 817 H x 1125 W x 672 D WEIGHT (in kg): 47 NET / 55 GROSS 220V, 60Hz Warranty: 5 years on compressor /2 years on labor and parts	Php49,000.00	Php98,000.00
2	unit	Refrigerator: Frost Inverter, Glass Door Upright Commercial Bar Fridge  10 cu.ft. Upright Fan-cooled System  190W Input Power Internal Lamp Aluminum Inner Lining Dimensions (W x H x D)179 x 53 x 58cm  WARRANTY:  (2) Years Parts and Service  (5) Years Compressor	Php30,000.00	Php60,000.00
6	Unit	Preparation Table:  1.0 mm thick SS sheet outer panel; G.I. Sheet ga.  1600 x 500 x1538 mm (4 tier dish rack)	Php30,000.00	Php180,000.00

Stainless 4-tier dish rack:  1.0 mm thick SS sheet outer panel; G.I. Sheet ga.  1600 x 500 x 1538 mm (4 tier dish rack)  Weighing Scale for Spices:  2 Unit Digital, 1000 grams capacity, square shape  Weighing Scale for Meat:  Digital, 25kgs capacity, square shape  Php7,500.00  Php7,000.00  Php7,000.00  Php7,000.00  Php7,000.00  Php7,000.00  Php7,500.00  Php45,000.00  Php45,000.00  Php2,500.00  Php2,500.00  Php2,500.00  Php2,500.00  Php15,000.00	000
2 Unit panel; G.I. Sheet ga.  1600 x 500 x1538 mm (4 tier dish rack)  Weighing Scale for Spices:  Digital, 1000 grams capacity, square shape  Weighing Scale for Meat:  Digital, 25kgs capacity, square shape  Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/7.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	000
1 Unit Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/J.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W Weighing Scale: Hanging Hook Digital Hanging Scale 200kgs  1 Unit Unit Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:  Php3,500.00 Php7,000.00 Php7,000.00 Php45,000.00 Php45,000.00 Php45,000.00 Php2,500.00 Php2,500.00 Php2,500.00 Php2,500.00 Php2,500.00 Php2,500.00 Php2,500.00 Php2,500.00 Php15,000.00 Php2,500.00	000
dish rack)  Weighing Scale for Spices:  Digital, 1000 grams capacity, square shape  Weighing Scale for Meat:  Digital, 25kgs capacity, square shape  Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/7.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	00
dish rack)  Weighing Scale for Spices:  Digital, 1000 grams capacity, square shape  Weighing Scale for Meat:  Digital, 25kgs capacity, square shape  Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/7.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	00
2 Unit Digital, 1000 grams capacity, square shape  Weighing Scale for Meat:  Digital, 25kgs capacity, square shape  Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/J.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Unit Unit Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	00
Digital, 1000 grams capacity, square shape   Weighing Scale for Meat:	00
Weighing Scale for Meat:  Digital, 25kgs capacity, square shape  Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/3.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	0
6 Unit Digital, 25kgs capacity, square shape Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/7.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W Weighing Scale: Hanging Hook Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks Weighing Scale Bar:	0
Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/3.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	0
Polysealer:  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/J.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	
1 unit  Heavy Duty Impulse Sealer, Plastic bag sealer 200mm/3.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	
Php2,500.00  Plastic bag sealer 200mm/7.8inch, Heat Sealer Bag, Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	
1 unit Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks Weighing Scale Bar:	
Sealing Machine 200V, 300 W  Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	20
Weighing Scale: Hanging Hook  Digital Hanging Scale 200kgs  Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	20
1 unit Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	20
1 unit Compact, robust, 150 mm/6" diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	20
diameter dial housed in the traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	20
traditional metal case. Accurate to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks Weighing Scale Bar:	
to one part in 200 with up to 10% zero adjustments. Supplied with top and bottom hooks Weighing Scale Bar:	
zero adjustments. Supplied with top and bottom hooks  Weighing Scale Bar:	
Weighing Scale Bar:	
Digital Platform Weighing Scale	
1 unit Stainless steel platform Php25,000.00 Php25,000.0	00
Division: 20g	
Dimension-platform: 49 x 39cm	
Push Cart/Trolley	
Stainless Steel and platform;	
5 unit handtruck trolley folding push Php4,500.00 Php4,500.00	0
cart; 300kg capacity; 4 nylon wheels; top handle bow folds for	
easy storage	0
Cooler	0
Plastic Food Grade Material Box	©.
Cold build and easy to move	-
Keeps meat cool for 5 days	-
15 unit Capacity: 100 L Php7,500.00 Php112,500	0
x 14"	)
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	)
External Dimensions: 43.75" x	)
External Dimensions: 43.75" x 20" x 17.75"With 2 wheels in the	)
External Dimensions: 43.75" x	)

,

		8 oz., 16 oz. and 32 oz. measuring cups Material Stainless Steel Shape Round Type Measuring Cup Sets, Measuring Cups Usage Liquid Measuring		
5	set	Solid Measuring cup  Length 5 7/8 Inches  Width 3 3/8 Inches  Height 1 7/8 Inches  Color Silver  Material Stainless Steel  Shape Round  Style Solid  Type Measuring Cup Sets, Measuring Cups  Usage Dry Measuring	Php1,200.00	Php6,000.00
5	set	Liquid Measuring spoon  Liquid Measuring, 3.5" Handle Length, SS head & handle, .25 tsp. 1 tbsp capacity	Php950.00	Php4,750.00
5	set	Solid Measuring spoon  Dry Measuring, 3.5" Handle Length, SS head & handle, .25 tsp. 1 tbsp capacity	Php950.00	Php4,750.00
5	unit	Kitchen knife 8-inch size included plastic handle, 6-inch stainless blade size	Php390.00	Php1,950.00
5	unit	Knife Sharpener  Material Ceramic, Stainless Steel/ Product Dimensions 21 x 6.5 x 6.8 cm/ Weight 259g	Php325.00	Php1,625.00
3	unit	Chopping Board  Plastic Food Grade, Polyethylene Cutting Board  Dimension – L 18 inch X W 12 Inch x 1 inch Thickness	Php2,900.00	Php8,700.00
5	unit	Funnel: 5 inch Food Grade Stainless steel	Php750.00	Php3,750.00
10	unit	Stainless basin/bowl:	Php2,500.00	Php25,000.00

GRAND TOTAL				Php786,475.00
	у	Volume		
18	unit	Plastic Food Grade Crates, Outside Dimension 515L 355mmW,306mmH, Inside Dimension 485L 330mmW 295mmH, 2kg weight, 47.2 liters	Php4,500.00	Php81,000.00
10	unit	Rectangular Tray:  Dip Tray Stainless steel with handle  60 x 40 cm dimension  Plastic Crates:	Php1,500.00	Php15,000.00
3	unit	Stainless basin, 1.0 mm thick, 12 inches diameter, 5kg capacity  Spice Grinders:  Manual Stainless Steel Measurements: Diameter: 2 1/4 inch Height: 6 inch 4 ounce capacity Materials: Grinding disks: Metal (stainless steel) Case: clear acrylic and chrome plated handle and bottom	Php3,900.00	Php11,700.00

REYNALDO R. REAL

Chairman

PG Procurement Team
Farm Operators of Marinduque Multi-Purpose Cooperative (FOMMCO)

## **BID FORM**

Contract Name: Package 4: Supply & Delivery of Processing Equipment/ Machines/Tools for Marinduque Swine Meat Processing Solicitation No. PRDP-IR-R04B-MAR-006-000-2021

THE PG PROCUREMENT TEAM	

### SIR/MADAM:

I/We submit our quotation and compliance to the required specifications indicated below for the contract stated above. I/We have carefully read and fully understood the minimum requirements and agree to furnish and/or deliver in conformity with the specifications and or all said articles described within **sixty (60)** working days from receipt of Purchase/Work Order.

Qty	Unit	Item/Description	Offered brand	Unit cost	Total Price
2	Unit	Freezer: Chest type, Aluminum Cabinet Interior Liner, Inverter SLIDING GLASS Door 10.6 CU.FT. / 304 LITERS DIMENSIONS (in mm) 817 H x 1125 W x 672 D WEIGHT (in kg): 47 NET / 55 GROSS 220V, 60Hz Warranty: 5 years on compressor /2 years on labor and parts			2
2	Unit	Refrigerator: Frost Inverter, Glass Door Upright Commercial Bar Fridge  10 cu.ft. Upright Fan-cooled System  190W Input Power Internal Lamp			

		Aluminum Inner Lining			
		Dimensions (W x H x D)179 x 53 x			
		58cm			
		John			
		WARRANTY:			
		(2) Voore Ports and Corries			
		(2) Years Parts and Service			
		(5) Years Compressor			
		Preparation Table:			
		1.0 mm thick SS sheet outer panel;			
6	Unit	G.I. Sheet ga.			
	0,	din sheet ga.			
		1600 x 500 x1538 mm (4 tier dish			
		rack) Stainless 4-tier dish rack:			
		Stainless 4-tier dish rack:			
		1.0 mm thick SS sheet outer panel;			
2	Unit	G.I. Sheet ga.			c.
		1600 - 500 - 1520 (4 tion dish			
		1600 x 500 x1538 mm (4 tier dish rack)			
		Weighing Scale for Spices:			
2	Unit	D: :: 1 4000			
-		Digital, 1000 grams capacity, square shape	100		
		Shape			
	Unit	Weighing Scale for Meat:			
6		District 25less sources to source shows			
		Digital, 25kgs capacity, square shape			
		Polysealer:			
		1 olysculer.			
1	unit	Heavy Duty Impulse Sealer, Plastic			
	- Ciriic	bag sealer 200mm/7.8inch, Heat Sealer Bag, Sealing Machine 200V,			
		300 W			
		Weighing Scale: Hanging Hook			
		violeting search managing mean			
		Digital Hanging Scale 200kgs			
		Compact, robust, 150 mm/6"			
1	unit	diameter dial housed in the			
		traditional metal case. Accurate to			
		one part in 200 with up to 10% zero			
		adjustments. Supplied with top and			
-		bottom hooks Weighing Scale Bar:			
		January Court Dail			
	10	Digital Platform Weighing Scale		c	
1	unit	Stainless steel platform	9		
		Max cap: 300kg Division: 20g			
		Division: 20g Dimension-platform: 49 x 39cm			
	Linit	Push Cart/Trolley			1
5	unit				

	T				
		Stainless Steel and platform;			
		handtruck trolley folding push cart; 300kg capacity; 4 nylon wheels; top			
		handle bow folds for easy storage			
		Cooler			
		Plastic Food Grade Material Box			
		Cold build and easy to move			
		Keeps meat cool for 5 days			
15	unit	Capacity: 100 L			
		Internal Dimensions: 34.5" x 13.5" x 14"			
		External Dimensions: 43.75" x 20" x			
		17.75"With 2 wheels in the bottom			
		for better handling			
		Liquid Measuring cup			
		8 oz., 16 oz. and 32 oz. measuring cups			
		Material Stainless Steel			
5	set	Shape Round			
		Type Measuring Cup Sets, Measuring			ç
		Cups			
		Usage Liquid Measuring			
		Solid Measuring cup			
		Length 5 7/8 Inches			
		bengen 5 // 6 menes			
		Width 3 3/8 Inches			
		Height 17/0 Inches			
		Height 1 7/8 Inches			
		Color Silver			
5	set				
	001	Material Stainless Steel			
		Shape Round			
		Style Solid			
		Type Measuring Cup Sets, Measuring			
		Cups			
		oups			
		Usage Dry Measuring			To the same of the
		Liquid Measuring spoon			
5	set	Liquid Measuring, 3.5" Handle			
	301	Length, SS head & handle, .25 tsp. 1			
		tbsp capacity			
		Solid Measuring spoon			
5	004	Dry Moscuring 2 E" Handle I snoth			
5	set	Dry Measuring, 3.5" Handle Length, SS head & handle, .25 tsp. 1 tbsp			
		capacity			
		Kitchen knife	-		
5	unit				
	dill	8-inch size included plastic handle, 6- inch stainless blade size			
_		Knife Sharpener			
5	unit	r		,	

		Material Ceramic, Stainless Steel/			
		Product Dimensions 21 x 6.5 x 6.8			
		cm/Weight 259g			
		Chopping Board			
		Plastic Food Grade, Polyethylene		_	
3	unit	Cutting Board			
		Dimension – L 18 inch X W 12 Inch x			
		1 inch Thickness Funnel:			
5	unit	r unner.			
		5 inch Food Grade Stainless steel			
		Stainless basin/bowl:			
10	unit	Stainless basin, 1.0 mm thick, 12			
		inches diameter, 5kg capacity			
		Spice Grinders:	-		
		Manual Stainless Steel			
		Measurements: Diameter: 2 1/4 inch			v.
3	unit	Height: 6 inch			
0	dille	4 ounce capacity			
		Materials:			
		Grinding disks: Metal (stainless steel)			
		Case: clear acrylic and chrome plated			
		handle and bottom			
		Rectangular Tray:			
10	unit	Dip Tray Stainless steel with handle			
		60 x 40 cm dimension Plastic Crates:			
		riastic Grates.			
		Plastic Food Grade Crates, Outside			
18	unit	Dimension 515L 355mmW,306mmH,			
		Inside Dimension 485L 330mmW			
		295mmH, 2kg weight, 47.2 liters Volume			
		, omino			
					0
GRA	ND TOT	ΓAL			/

We also submit a copy of the following documents as required:

- a) Valid business permit and
- b) BIR registration.

This bid and your written acceptance will constitute your assent in compliance with the requirement. We understand that the PG will award based on the Lowest Calculated and Responsive Bid/Quotation.

Signature Over Printed name of Authorized representative	Registered Name of the Company	Tax Identification Number
Telephone number(s)	Address	Date Accomplished